

THE BOTANICAL MAGAZINE TOKYO


VOL. 104 (1991)

Numbers 1073-1076, Pages 1-370

EDITORIAL BOARD

- HIDEMASA IMASEKI : Editor-in-Chief, *Research Institute for Biochemical Regulation, Nagoya University, Chikusa, Nagoya 464*
- TADAKI HIROSE : Editor, *Biological Institute, Tohoku University, Aramaki, Aoba, Sendai 980*
- MASAHIRO KATO : Editor, *Botanical Gardens, University of Tokyo, Hakusan, Bunkyo-ku, Tokyo 112*
- ROGER DEL MORAL, *University of Washington*
- YOSHINORI OHSUMI, *University of Tokyo*
- TERUMITSU HORI, *University of Tsukuba*
- PETER H. RAVEN, *Missouri Botanical Garden*
- RYOKO IMAICHI, *Tamagawa University*
- TERUO SHIMMEN, *Himeji Institute of Technology*
- YASUNORI INOUE, *University of Tokyo*
- MITSUO SUZUKI, *Kanazawa University*
- NAOKI KACHI, *National Institute for Environmental Studies*
- HIROSHI TOBE, *Kyoto University*
- HANS MOHR, *University of Freiburg*
- TETSUKAZU YAHARA, *University of Tokyo*

THE BOTANICAL SOCIETY OF JAPAN



Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

CONTENTS

THE BOTANICAL MAGAZINE, TOKYO

Vol. 104

No. 1073 (March 1991)

TERABAYASHI, S.: Vernalization Patterns in Celtidaceae and Ulmaceae (Urticales), and their Evolutionary and Systematic Implications	1
SHUMA, J. C. AND M. V. S. RAJU: Is the Wild Oat Embryo Monocotylous?	15
HOZUMI, K. AND N. KURACHI: Estimation of Seasonal Changes in Translocation Rates in Leaves of a Japanese Larch Stand	25
SUZUKI, M., L. JOSHI AND S. NOSHIO: <i>Tetracentron</i> Wood from the Miocene of Noto Peninsula, Central Japan, with a Short Revision of Homoxylous Fossil Woods	37
WATANABE, M. F., M. WATANABE, T. KATO, K. HARADA AND M. SUZUKI: Composition of Cyclic Peptide Toxins among Strains of <i>Microcystis aeruginosa</i> (Blue-green Algae, Cyanobacteria)	49
AWASTHI, D.K., R. RAWAT, A. KUMAR AND V. KUMAR: Light and Scanning Electron Microscopic Studies of Flower Development in <i>Lindenbergia macrostachya</i> Benth (Scrophulariaceae)	59

INVITED ARTICLE

SIBAOKA, T.: Rapid Plant Movements Triggered by Action Potentials	73
KAWANO, S.: The Life Cycle of Mitochondria in the True Slime Mould, <i>Physarum polycephalum</i>	97

No. 1074 (June 1991)

OGINUMA, K. AND H. TOBE: Karyomorphology and Evolution in Some Hamamelidaceae and Platanaceae (Hamamelididae; Hamamelidales)	115
NARUHASHI, N. AND Y. IWATSUBO: Cytotaxonomic Study on Two Putative Hybrids in the Genus <i>Duchesnea</i> (Rosaceae)	137
YOKOI, Y., M. KIMURA AND N. NOMOTO: Growth and Reproduction of Asexual Konjak Plants (<i>Amorphophallus konjac</i> K. Koch). I. Analysis of Growth and Reproduction of Different-aged Plants	145
IDA, K., F. SAITO AND S. TAKEDA: Isomers of Rhodoxanthin in Reddish Brown Leaves of Gymnosperms and Effect of Daylight Intensity on the Contents of Pigments during Autumnal Coloration	157

INVITED ARTICLE

TABATA, T.: Leucine-Zipper Type Transcription Factors of Wheat	171
--	-----

No. 1075 (September 1991)

YÜ, Z. AND ARAKI, H.: The Distribution of Diploids and Polyploids of the <i>Scilla scilloides</i> Complex in the Northeastern District of China	183
NISHIDA, H., NISHIDA, M. AND TANAKA, K.: Petrified Plants from the Cretaceous of the	

Kwanto Mountains, Central Japan. III. A Polyxylic Cycadean Trunk, <i>Sanchucycas gigantea</i> gen. et sp. nov.	191
TAKENO, K. AND YAMAGUCHI, H.: Diversity in Seed Germination Behavior in Relation to Heterocarpy in <i>Salsola komarovii</i> Iljin	207
INOUE, M., MITSUMUNE, M., TOHOYAMA, H., JOHO, M. AND MURAYAMA, T.: Contributions of Cell Wall and Metal-Binding Peptide in Cd- and Cu-tolerances in Suspension-cultured Cells of Tomato	217
NISHIDA, H., NISHIDA, M. AND OHSAWA, T.: Use of Fluorescent Microscopy in Defining a Small Ligule-like Ovuliferous Scale of a Permineralized Taxodiaceous Cone from the Upper Cretaceous of Hokkaido, Japan	231

INVITED ARTICLE

SAKURAI, N.: Cell Wall Functions in Growth and Development — A Physical and Chemical Point of View —	235
NISHIDA, H.: Diversity and Significance of Late Cretaceous Permineralized Plant Remains from Hokkaido, Japan	253

No. 1076 (December 1991)

MASUHARA, G. AND KATSUYA, K.: Fungal Coil Formation of <i>Rhizoctonia repens</i> in Seedlings of <i>Galeola septentrionalis</i> (Orchidaceae)	275
HENSCHER, D., KATAOKA, H. AND KIRST, G.O.: Osmotic Acclimation of the Brackish Water Xanthophyceae, <i>Vaucheria dichotoma</i> (L.) MARTIUS: Inorganic Ion Composition and Amino Acids	283
OGINUMA K., NAKATA, M., SUZUKI, M. AND TOBE, H.: Karyomorphology of <i>Coriaria</i> (Coriariaceae): Taxonomic Implications	297
MIYAZAKI, A. AND FUJII, T.: Distribution of IAA and ABA in Gravistimulated Primary Roots of <i>Zea mays</i> L.	309
OOTAKI, T., KOGA, K., ITO, H. AND TSURU, T.: Diameter and Amount of β -Carotene Determine the Maximal Phototropic Bending Angle of <i>Phycomyces</i> Sporangiophores	323
SHIRAI, R. AND KURIHARA, T.: Distribution of Rhodanese in Plants	341
SAKAI-WADA, A. AND SUGIURA, H.: Localization of Intracellular Calcium in Root Meristematic Cells and Root Cap Cells of Maize	347

INVITED ARTICLE

TASAKA, M.: Developmental Regulation of Expression of Prespore-specific Genes in <i>Dictyostelium discoideum</i>	359
--	-----

AUTHOR INDEX

THE BOTANICAL MAGAZINE, TOKYO

Vol. 104

ARAKI, HIROTO	183	NOMOTO, NOBUO	145
AWASTHI, DEVENDRA, K.	59	NOSHIRO, SHUICHI	37
FUJII, TADASHI	309	OGINUMA, KAZUO	115, 297
HARADA, KEN-ICHI	49	OHSAWA, TAKESHI	231
HENSCHEL, DETLEV	283	OOTAKI, TAMOTSU	323
HOZUMI, KAZUO	25	RAJU, MANJARABAD, V.S.	15
IDA, KAZUKO	157	RAWAT, RAMAVEER	59
INOUE, MASAHIRO	217	SAITO, FUMI	157
ITO, HIROYUKI	323	SAKAI-WADA, AIKO	347
IWATSUBO, YOSHIKANE	137	SAKURAI, NAOKI	235
JOHO, MASANORI	217	SHIRAI, RYOICHI	341
JOSHI, LAJMINA	37	SHUMA, JACKSON, M.	15
KATAOKA, HIRONAO	283	SIBAOKA, TAKAO	73
KATO, TATSUMI	49	SUGIURA, HISAKO	347
KATSUYA, KEIZO	275	SUZUKI, MAKOTO	49
KAWANO, SHIGEYUKI	97	SUZUKI, MITSUO	37, 297
KIMURA, MAKOTO	145	TABATA, TETSUYA	171
KIRST, GÜNTER, O.	283	TAKEDA, SATOMI	157
KOGA, KAORI	323	TAKENO, KIYOTOSHI	207
KUMAR, ADESH	59	TANAKA, KUNYUKI	191
KUMAR, VISHNU	59	TASAKA, MASAO	359
KURACHI, NAHOKO	25	TERABAYASHI, SUSUMU	1
KURIHARA, TAKASHI	341	TOBE, HIROSHI	115, 297
MASUHARA, GAKU	275	TOHOYAMA, HIROSHI	217
MITSUMUNE, MADOKA	217	TSURU, TOSHISUKE	323
MIYAZAKI, ATSUSHI	309	WATANABE, MARIYO, F.	49
MURAYAMA, TETSUO	217	WATANABE, MASAYUKI	49
NAKATA, MASASHI	297	YAMAGUCHI, HIROYASU	207
NARUHASHI, NAOHIRO	137	YOKOI, YOTA	145
NISHIDA, HARUFUMI	191, 231, 253	YÜ, ZHIHUI	183
NISHIDA, MAKOTO	191, 231		

Index of Key Words

A

Absciscic acid	207, 235, 283
Achlorophyllous orchid	275
Action potential	73
Age effect	145
<i>Aldrovanda vesiculosa</i>	73
Amino acids	283
<i>Amorphophalus konjac</i>	145
Autumnal coloration	157
Auxin	235
<i>Avena fatua</i>	15

B

Bending angle	323
Biogenesis	97
Blue-green algae	49

C

Carotene, beta-	323
Ca ²⁺ -localization	347
Cd-tolerance	217
Cell-wall	217, 235
Cellulose	235
Celtidaceae	1
Chromoplast	157
Chromosome	115, 183, 297
Cone	231
Conifer	231
<i>Coriaria</i>	297
Coriariaceae	297
Cretaceous	191, 231, 253
Cu-tolerance	217
Cupressaceae	157
Cyanobacteria	49
Cyanogenic plants	341
Cycadales	191
Cyclic peptide	49

D

Daylight intensity	157
Deciduous tree	25
<i>Dictyostelium discoideum</i>	359
<i>Dionaea muscipula</i>	73
<i>Drosera</i> spp.	73
Dry-matter production	145
<i>Duchesnea chrysantha</i>	137
<i>Duchesnea indica</i>	137
<i>Duchesnea</i> × <i>harakurosawae</i>	137

E

Electron microscopy	347
Endomycorrhizae	275

F

Flower development	59
Fluorescent microscopy	231
Fossil	253
Fossil wood	37

G

<i>Galeola spetentrionalis</i>	275
Gene, SP96, Dp87	359
Genome analysis	137, 183
Glucan, beta-1, 3 : 1, 4-	235
Grass embryo	15
Gravitropism	309
Growth	145

H

HBP-1a, HBP-1b	171
Hamamelidaceae	115
Heterocarpy	207
Heterochromatin	297
Histone gene	171
Hokkaido	253
Homoxyle	37
Hybrid	137

I

Ionic composition	283
-------------------	-----

K

Karyomorphology	115, 297
Karyotype	137

L

Larch	25
<i>Larix leptolepis</i>	25
Leaf biomass	25
Lens effect	323
Leucine zipper	171
Life cycle (Mitochondria)	97
Liliaceae	183
<i>Lindenbergia macrostachya</i>	59
<i>Lycopersicon esculentum</i>	217

M			
Microsystis	49	Salt stress	283
Mimosa pudica	73	Sanchucycas	191
Miocene	37	<i>Scilla scilloides</i>	183
Mitochondrial DNA	97	Scrophulariaceae	59
Mitochondrial nucleus	97	Sebayashi	191
mRNA stability	359	Seed germination	207
		Signal transduction	359
		Size effect	145
N		Sporangiophore	323
Non-cyanogenic plants	341	Stipule	1
		Strain	49
O		Summation method	25
Osmotic adjustment	283	Systematics	1
P		T	
Permineralized	253	<i>Taiwania</i>	231
Petrified	191	Taxodiaceae	157, 231
Phototropism	323	Tetracentron	37
<i>Phycomyces</i>	323	Tomato	217
<i>Physarum polycephalum</i>	97	Toxin	49
Phytochelatin	217	Trans-acting factor	171
Plants	253	Translocation	25
Platanaceae	115		
Polyploid	183	U	
Polyxylic	191	Ulmaceae	1
Prespore cells	359	Urticales	1
<i>Protocorm</i>	275		
		V	
R		<i>Vaucheria dichotoma</i>	283
Rapid bending	73	Vernation	1
Regulation of transcription	359	Vesselless	37
Reproduction	145		
<i>Rhizoctonia repens</i>	275	W	
Rhodanese	341	Wild oat	15
Rhodoxanthin, isomers	157		
Root	311	X	
Root tip cells	347	Xyloglucan	235
S		Z	
<i>Salsola komarovii</i>	207	<i>Zea mays</i>	309, 347

